

# Embassy of the Republic of the Philippines Pasuguan ng Pilipinas Seoul

## REQUEST FOR QUOTATION

The Philippine Embassy in Seoul, Republic of Korea is inviting companies to submit quotations for its procurement of PA system with wireless microphones for official use of the Embassy, in accordance with the "Guidelines for the Procurement of Goods and Services, Infrastructure Projects and Consulting Services to be Procured and Performed Overseas" as approved by the Government Procurement Policy Board (GPPB) in its Resolution No. 28-2017 dated 31 July 2017.

The terms of reference of the project are listed on **Annex A**.

The last day for submission of quotations is on Wednesday, 16 August 2023 at 5:00 p.m. Interested suppliers may send their duly signed quotation at email address: <a href="mailto:seoulpe@philembassy-seoul.com">seoulpe@philembassy-seoul.com</a> and attention it to Ms. Anna Gabriella E. Guinto.

Should there be further inquiries, you may contact the Philippine Embassy at telephone number (02) 788-2100/2101 ext. 142.

The Embassy of the Philippines Seoul, Republic of Korea 10 August 2023

### SUPPLY AND DELIVERY OF PA SYSTEM WITH WIRELESS MICROPHONES FOR OFFICIAL USE OF THE EMBASSY

#### **TERMS OF REFERENCE**

The Embassy of the Philippines need to procure one (1) brand new public address (PA) system with at least two (1) wireless microphones with one (1) receiver to use during mobile consular outreach and other official events outside of the Chancery.

#### I. Scope of Work

The Company shall supply and deliver a PA system with wireless microphones based on the technical specification provided by the Embassy.

#### II. Technical Specification

The PA system and wireless microphones should have the following minimum specifications:

#### PA System

General Specifications		
Transducers	2 x 216mm (8") woofer, 2 x 70mm	
	(2.75") tweeter	
Output Power	800W RMS (IEC60268)	
Power Input	100 – 240 VAC ~50/60Hz	
Frequency Response	35Hz – 30kHz (-6dB)	
Signal-to-noise ratio	>80dB	
Cable type	Right-angle AC power cable	
Cable length	2.0 meters / 6.6 feet	
USB specification		
USB Charge out	5V/2.1A (max)	
USB format	FAT16, FAT32	
Wireless specification		
Bluetooth version	5.1	
Bluetooth Profile	A2DO V1.3, AVRCP V1.6	
Bluetooth transmitter frequency	2400MHz – 2483.5MHz	
range		
Bluetooth transmitter power	≤ 11dBm (EIRP	
Bluetooth transmitter modulation	GFSK, π/4 DQPSK, 8DPSK	
Audio Specification		
Support formats	.mp3, .wma, .wav	
Input Sensitivity		
Aux-in	250 mVrms (3.5mm connector)	
Mic-in	20 mVrms	

Guitar-in	100 mVrms
Bluetooth/USB input	-12 dBFS

#### Wireless Handheld Microphone with Receiver

General Specifications	
Distance between transmitter and	>10 m
receiver	
Polar Pattern	Cardioid
Frequency Response	65Hz – 15kHz
UHF frequency band	470-960MHz
THD	<0.5%, typical
Transmitter transmitting power	<10mW, typical
Receiver input	1/4" (6.3mm) unbalanced
Receiver maximum Output Level	-13dBV, typical
Receiver rechargeable Battery	Lithium-ion Polymer 3.7WH
	(Equivalent to 3.7V, 1000mAh)
Receiver charge time:	<3.5 hours @5V/1A
Receiver battery Playtime	Up to 6 hours
Microphone battery	4 x AA

#### III. Deliverables

- A. The Company shall supply and delivery one (1) brand new PA system with at least two (2) wireless handheld microphones and one (1) receiver.
- B. The delivery location of the wireless microphone system is Philippine Embassy, 80 Hoenamu-ro, Yongsan-gu, Seoul 04346.

### IV. Terms of Payment

Payment shall be made through bank transfer/deposit within seven (7) working days upon delivery of wireless microphone system.